Patient Label

Unapproved Abbreviations

5/2018

U or u (for unit) IU (for international unit)

MS, MSO4, MgSO4 Trailing zero (X.0 mg), Lack of leading zero (.X mg) Q.D., q.d., QD, or qd / Q.O.D., q.o.d., QOD, or qod (for once daily, every other day)

Adult Continuous Renal Replacement Therapy (CRRT) Lab Monitoring Protocol

Standard CRRT Lab Monitoring

- ☐ This Protocol is initiated by an order in one of the Adult CRRT order sets.
- ☑ **Do not duplicate laboratory collection.** The same labs ordered within 2 hours of these times may be substituted for the CRRT protocol labs
- Place lab orders daily for CRRT lab panels per Nephrology fellow, NP, or attending Nephrologist covering CRRT patient.

Laboratory Measure		1 st 48 hours		Starting at hour 49	
		Frequency	Schedule	Frequency	Schedule
CRRT Lab Panel	Serum Renal Function Panel	Every 8 hours	3AM 11AM 7PM	Every 12 hours	3 AM 3 PM
	Serum Magnesium	Every 8 hours	3AM 11AM 7PM	Every 12 hours	3 AM 3 PM
	POCT ionized Calcium	Every 8 hours	3AM 11AM 7PM	Every 12 hours	3 AM 3 PM
	Serum Complete Blood Count without Differential	Every 8 hours	3AM 11AM 7PM	Every 12 hours	3 AM 3 PM

Signature:	Print Name:	Page 1 of 1
Pager#:	Date/Time:	