81

Electronic CRRT Flow Sheet:

Decreasing Errors and Increasing Nurse Recruitment

Troy Gideon, RN, BSN

St. Jude Medical Center - Fullerton, CA



History

- The CRRT certified RN manages all aspects of nursing care for CRRT patients including frequent volume calculations.
- Calculations may be required as frequently as 100 to 160 times in a 24 hour period.
- •Historically, nurses perform these calculations by hand using a paper flow sheet.
- This process creates a large probability of calculation errors, incorrect volume/fluid management, and a decrease in nurse desire to be CRRT certified due to anxiety and fear of making calculation errors.

Objectives

- To design and test an electronic flow sheet that performs the calculations.
- To increase patient safety by decreasing calculation and fluid/volume management errors.
- To improve patient care by increasing RN and patient interaction and decreasing time required to perform volume calculations.
- To increase the number of CRRT certified RNs by eliminating the confusion and fear of making calculations errors.

Todays Date: Yesterday's Weight: Ordered Blood Flow Rate: Ordered Dialysate Rate: Ordered Post-replacement Rate										Procedure: CVVHDF Dialysate Solution: Replacement Solution: Ordered Fluid Removal Rate: Pt. Identific													
	A total non- Prisma In take	В	Prisma output (from screen)	D (A-B-C) E E from previous hy + D	MD orders goal	G F+ previous in G H (E-G)	Projected Adjustmets	J (HP) K (J+H)	Estimated set PFR	Actual setPFR	PRISMA PRESSURES (mmHg) (Document Q4hr))	:hamber Check	Replacement m Mr	Prisma Flow Rates			m Vit r	Date & Time of Filter Change
		totalnon- Prisma output									Access (-50 to - 150)	Filter (+100 to +250)	Efficent(- 150 lo+50)		TMP <350	Piffler <100	Dearation Chamber Fluid Level Check	Pre Post	Dialysate	B lood Speed	Heparlı Rafe	Boluses	Comments
0100	197	5	193	-1 -1	-25	-25 24	103	128 152	150	150													
0200	115	7	136	-28 -29	-25	-50 21	143	168 189	190	100													
0300				0 -29		-50 21		0 21	20														
0400				0 -29		-50 21		0 21	20														
0500				0 -29		-50 21		0 21	20														
0600				0		-50		0	- 20														
Total <u>T</u> (312 otal Inta	12 ke (A):	329 312 C	-29 Total	otal Output (B+C): 341			1 Sub	total (A -	(B+C)); -29				Tota	Fluid B	oluses:	0	6 hr Subtotal (0100-0600			0600): I	<u>-29</u>	
	^			E	•	Н		K	_	setPFR							Fluid	Pre Post	m l/hr Didysale	m War Speed	m l.h r He pa rh	m Wir	Comments
0700				0		-50		0	20								<u> </u>	FUSI	viaysak	Speed	перані	Boluses	Comments
				-29 0		21 -50		21 0															
0800				-29		21		21	20														
0900				-29		-50 21		0 21	20														
1000				0 -29		-50 21		0 21	20														
1100				0		-50		0	20														

Methods

- Chart reviews were performed to investigate the rate of calculation errors for fluid removal & volume replacement.
- Chart reviews revealed 92% calculation error including 17% that resulted in patient volume variation error of >500 ml in a 12hr period.
- A survey was conducted to assess nurses aversion to becoming CRRT certified. The survey revealed fear and anxiety of making potential calculation errors as the main barrier.
- An electronic flowsheet that performs calculation was created and tested for accuracy with precise results.

Results

- Calculation errors decreased to 3%; < 1% resulted in patient volume variation of > 500 ml in a 12hr period.
- The electronic flow sheet is incorporated in the hospital's computerized documentation system to streamline the forms and sources documentation.
- The number of CRRT certified nurses increased by 15%.
- Survey showed that 70% of the RNs decision to become CRRT certified is related to the new CRRT electronic flow sheet.

Conclusions

- The electronic flow sheet increased volume calculation accuracy significantly.
- It became an effective recruitment tool to increase CRRT certified RNs.

